


# FAIR and Open Research Data Practices in the Earth Sciences

Dr. Andreas Hübner | University Library

 <https://orcid.org/0000-0001-7342-9789>

Tag der Lehre | 17 December 2025



This work is licensed under a [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/).



[Bibliotheks FAQ](#) | [Bibliotheksteam](#)

[Coffee Lectures](#) | [Digitalisierungsaufträge](#)

[Feedback Archiv](#) | [Kartensammlung](#)

[Open Access](#) | [Forschungsdatenmanagement](#)

[Zeitschriften und Serien](#) | [BSc und MSc Arbeiten](#)

- > Benutzungsordnung für die Universitätsbibliothek
- > Anhang zur Benutzungsordnung
- > Lageplan Campus Lankwitz
- > Orientierungsplan / EG
- > Orientierungsplan / 1.OG

➤ Ihr Feedback ist uns wichtig

➤ Gruppenarbeitsräume

➤ Kontaktformular

➤ Rechercheguide Geographie

➤ Rechercheguide Geologie

➤ Rechercheguide Meteorologie

#### KONTAKT & ÖFFNUNGSZEITEN

- Montag - Donnerstag: 10 - 18 Uhr
- Freitag: 10 - 15 Uhr

Adresse: [Malteserstraße 74-100, 12249 Berlin](#)  
Telefon: (030) 838 702 05  
Email: [geolib@zedat.fu-berlin.de](mailto:geolib@zedat.fu-berlin.de)

#### PRIMO SCHNELLSUCHE

Das Bibliotheksportal Primo ist die zentrale Suchmaschine der Bibliotheken der Freien Universität Berlin. Primo bietet Zugriff auf annähernd 1 Milliarde Datensätze (Bücher, Zeitschriftenaufsätze, Zeitungsartikel und mehr).

Im Bibliotheksportal Primo suchen

#### SERVICE-LINKS

- > Universitätsbibliothek / Standorte
- > Sonderöffnungs- oder -schließzeiten
- > Blackboard
- > mycampus [Whiteboard]
- > Publikationserfassung SEP
- > FUBIT-Portal [[my.fu-berlin.de](#)]

#### AKTUELLES

[Jetzt für unseren Newsletter anmelden](#)

[Workshop on "FAIR and open research data"](#)

16.12.2025

[Wichtige Informationen zu Öffnungszeiten, Schließzeiten und Services zum Jahresende](#)

09.12.2025

#### SOCIAL MEDIA

[Freie Universität Berlin](#)

[Universitätsbibliothek der FU Berlin](#)

[Blog der Bibliotheken der FU Berlin](#)



Wichtige Informationen zum Jahresende für unsere Bibliotheksnutzenden  
Schließzeiten, eingeschränkte Services und Rückgabemöglichkeiten über die Feiertage

## Workshop on "FAIR and open research data"

News vom 16.12.2025


**Workshop on "FAIR and open research data"**, 17 December, 9-11 am, GeoCampus Lankwitz.

The workshop will be held in English. Register for the workshop [here](#).

Abstract: Research data should be made accessible and also easy to find and to reuse (this is what the FAIR principles stand for: findable, accessible, interoperable, reusable). This requirement is mandatory for all members of the FU, as expressed in the FU statutes of good scientific practice. In the workshop, we will use concrete examples to show how to publish data FAIR and open and will also address legal aspects of who is authorised to decide on the publication of data.

The workshop is part of the "[Teaching Day of the Department of Earth Sciences](#)".

[Presentation slides](#)



# DFG Code of Conduct / local documents

## **Guidelines for Safeguarding Good Research Practice**

Code of Conduct. <https://doi.org/10.5281/zenodo.6472827> Deutsche Forschungsgemeinschaft. (2022).

## **Satzung zur Sicherung der guten wissenschaftlichen Praxis (GWP-Satzung)**

## **Statutes for Safeguarding Good Research Practice**

(in German, Feb. 2024; with English translation)



# Publication

- [...], whenever possible researchers make the research data and principal materials on which a publication is based available in recognized archives and repositories in accordance with the FAIR principles (Findable, Accessible, Interoperable, Reusable). (DFG Code of Conduct Guideline 13)

- 
- All research results should be made generally accessible in accordance with the FAIR principles (Findable, Accessible, Interoperable, Reusable), insofar as this does not conflict with the legitimate interests of third parties.  
This means that as far as is possible, within reason, and legally permitted, the research data, materials, information, methods, and software (including self-programmed software) used to obtain the research findings must be made available and the working methods and workflows must be comprehensively documented. (FU statutes, section 13)



# The FAIR principles



- 15 principles
- to guide the actions of data publishers, data stewards and researchers
- the 'FAIR Guiding Principles for scientific data management and stewardship' were published 2016 in *Scientific Data*.  
<https://doi.org/10.1038/sdata.2016.18>

# The FAIR principles

## To be **F**indable

- F1. (meta)data are assigned a globally unique and eternally persistent identifier.
- F2. data are described with rich metadata.
- F3. (meta)data are registered or indexed in a searchable resource.
- F4. metadata specify the data identifier.

## To be **A**ccessible

- A1 (meta)data are retrievable by their identifier using a standardized communications protocol.
- A1.1 the protocol is open, free, and universally implementable.
- A1.2 the protocol allows for an authentication and authorization procedure, where necessary.
- A2 metadata are accessible, even when the data are no longer available.

## To be **I**nteroperable

- I1. (meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.
- I2. (meta)data use vocabularies that follow FAIR principles.
- I3. (meta)data include qualified references to other (meta)data.

## To be **R**e-usable

- R1. meta(data) have a plurality of accurate and relevant attributes.
- R1.1. (meta)data are released with a clear and accessible data usage license.
- R1.2. (meta)data are associated with their provenance.
- R1.3. (meta)data meet domain-relevant community standards.

# The FAIR principles

## To be **F**indable

F1. (meta)data are assigned a globally unique and eternally persistent identifier.

F2. data are described with rich metadata.

F3. (meta)data are registered or indexed in a searchable resource.

F4. metadata specify the data identifier.

## To be **A**ccessible

A1 (meta)data are retrievable by their identifier using a standardized communications protocol.

A1.1 the protocol is open, free, and universally implementable.

A1.2 the protocol allows for an authentication and authorization procedure, where necessary.

A2 metadata are accessible, even when the data are no longer available.

## To be **I**nteroperable

I1. (meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.

I2. (meta)data use vocabularies that follow FAIR principles.

I3. (meta)data include qualified references to other (meta)data.

## To be **R**e-usable

R1. meta(data) have a plurality of accurate and relevant attributes.

R1.1. (meta)data are released with a clear and accessible data usage license.

R1.2. (meta)data are associated with their provenance.

R1.3. (meta)data meet domain-relevant community standards.

# The greatest potential for re-use comes when data are both FAIR and Open

**Findable  
Accessible  
Interoperable  
Re-usable**

**FAIR  
+  
Open**

**Data should be as  
open as possible,  
as closed as  
necessary**



# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.

# Supplementary material vs. data repository



**Supplementary material** of a journal article.



Independent publication in a **data repository**.

# Supplementary material vs. data repository



**Supplementary material** of a journal article.

- has usually no own ID (e.g., DOI), can not be found or cited independently of the article.
- Access to the data may be restricted by the terms of use of the journal.
- Often as PDF with limited re-use options.



Independent publication in a **data repository**.

# Supplementary material vs. data repository



**Supplementary material** of a journal article.

- has usually no own ID (e.g., DOI), can not be found or cited independently of the article.
- Access to the data may be restricted by the terms of use of the journal.
- Often as PDF with limited re-use options.



Independent publication in a **data repository**.

- Data set is findable and independently citable.
- Author(s) can decide on open licence.
- Data publication adds to the publication list of authors.
- File formats variable and often better for re-use.

# Data, software, physical sample information in repositories

More than  
**3300**  
data repositories

**re3data.org**  
REGISTRY OF RESEARCH DATA REPOSITORIES

<https://www.re3data.org/>

# Data publisher



<https://www.pangaea.de/>

GFZ Data Services

<https://dataservices.gfz-potsdam.de/portal/>



<https://www.wdc-climate.de>

# Data tables

## **Data curation checklist (in Python and R)**

helps you to check and resolve some common problems and issues with data tables, before submitting them to a data repository like PANGAEA.

# Data tables

## **Data curation checklist (in Python and R)**

helps you to check and resolve some common problems and issues with data tables, before submitting them to a data repository like PANGAEA.

### **Data structure**

- One cell = one entry
- Columns = Variable/Parameters
- Rows = Single observation
- Single header row
- No mix of numeric values and strings

### **Data types**

- Are data types as expected?

### **Numeric data**

- Columns must contain numbers only
- Fields without data should be left empty

### **Date formatting**

- Date/Time in the ISO-format (UTC)

### **Convert from degrees to decimal format**

- decimal degree, projection WGS84

### **Spell out abbreviations**

### **Correct species names**

### **Parameter (header) naming**

### **Convert units**

### **URLs**


### **Events**



# Software

You can use third-party tools to cite and reference content on GitHub.

<https://docs.github.com/en/repositories/archiving-a-github-repository/referencing-and-citing-content>



The screenshot shows the Zenodo page for the software release 'kvos/CoastSat: CoastSat v1.0.1'. The page is dated December 3, 2019, and is marked as 'Software' and 'Open Access'. It features 153 views and 29 downloads. The authors listed are Kilian Vos, Kristen Splinter, Chris Leaman, and ianltturner. The description states that CoastSat is an open-source software toolkit written in Python for obtaining time-series of shoreline positions from satellite imagery. The main functionalities listed are: assisted retrieval from Google Earth Engine, automated extraction of shorelines, and intersection of 2D shorelines with user-defined transects. A 'Changes from previous release' section notes new functions for labeling images and training image classifiers. A file preview section shows the 'CoastSat-v1.0.1.zip' file and its contents, including a .gitignore file (94 Bytes), LICENSE (35.1 kB), README.md (17.8 kB), and a classification directory. The page also indicates it is available in GitHub and indexed in OpenAIRE. The publication date is confirmed as December 3, 2019.

December 3, 2019 Software Open Access

## kvos/CoastSat: CoastSat v1.0.1

Kilian Vos; Kristen Splinter; Chris Leaman; ianltturner

CoastSat is an open-source software toolkit written in Python that enables users to obtain time-series of shoreline position at any coastline worldwide from 30+ years (and growing) of publicly available satellite imagery. There are three main functionalities:

- assisted retrieval from Google Earth Engine of all available satellite images spanning the user-defined region of interest and time period
- automated extraction of shorelines from all the selected images using a sub-pixel resolution technique
- intersection of the 2D shorelines with user-defined shore-normal transect

Changes from previous release

- new functions to label images and train your own image classifier

Preview

CoastSat-v1.0.1.zip

kvos-CoastSat-fbea537

- .gitignore 94 Bytes
- LICENSE 35.1 kB
- README.md 17.8 kB
- classification
- models

Available in

GitHub

Indexed in

OpenAIRE

Publication date: December 3, 2019

Kilian Vos, Kristen Splinter, Chris Leaman, & ianltturner. (2019, December 3). kvos/CoastSat: CoastSat v1.0.1 (Version v1.0.1). Zenodo. <http://doi.org/10.5281/zenodo.3560436>

# Physical sample information



International Generic  
Sample Number (IGSN)

GFZ Data Services offers an  
IGSN Registration Service.

## General Identifiers

Project:	GEOFERN Expedition 7002
Campaign:	N/A
Type:	Individual Sample
Name:	7002_1_A_002_1_WR_50-52
IGSN:	GFBNO7002EXZ0001 ( <a href="#">Open</a> )
Parent IGSN:	<a href="#">GFBNO7002ECAG101</a>
Request:	GEOFERN_5_JG
Request by:	Julia Gravendyck
Purpose:	Palynological Study
Release Date:	N/A

## Sampling Location

Latitude:	N/A
Longitude:	N/A
Coordinate System:	N/A
Elevation:	N/A
Location Type:	N/A
Location Name:	N/A
Location Description:	N/A
Country:	Germany
Province:	N/A
County:	N/A
City:	Berlin


## Acquisition

Material:	Rock
Rock Classification:	N/A
Collection Method:	
Funding Agency:	
Comments:	N/A
Chief Scientist:	Norden, Ben
Start Date:	2022-01-13
End Date:	2022-01-13

## Repositories

Current Repository:	BGR
Current Repository Contact:	Tina.Kollaske@bgr.de
Original Repository:	BGR
Original Repository Contact:	Tina.Kollaske@bgr.de


## Sample Family



= Specimen

The Sample Family shows a sub-sampling graph. Select entries to navigate samples.

## Location Map



Drilling Start/End: 2021-11-15 07:30+01:00 /  
2021-12-09 11:30+01:00 \*  
Latitude: 52.42710 \* Longitude: 13.52862 \*

<https://dataservices.gfz-potsdam.de/igsngfz/index.php?igsngfz=GFBNO7002EHG0001>


## Sample Family

- ▼ ⊕ 7002\_1\_A
  - 7002\_1\_A\_001
  - ▼ 7002\_1\_A\_002
    - ▶ 7002\_1\_A\_002\_1\_WR\_5-6
    - ▶ 7002\_1\_A\_002\_1\_WR\_50-52
  - ▼ 7002\_1\_A\_003
    - ▶ 7002\_1\_A\_003\_1\_WR\_0-2
    - ▶ 7002\_1\_A\_003\_1\_WR\_13-16
    - ▶ 7002\_1\_A\_003\_2\_WR\_5-10
  - ▼ 7002\_1\_A\_004
    - ▶ 7002\_1\_A\_004\_2\_WR\_20-22
  - ▶ 7002\_1\_A\_005
  - ▶ 7002\_1\_A\_006
  - ▶ 7002\_1\_A\_007
  - ▶ 7002\_1\_A\_008
  - ▼ 7002\_1\_A\_009

**Hole**

**Core**

**Individual sample**

 = Specimen

The Sample Family shows a sub-sampling graph. Select entries to navigate samples.

<https://dataservices.gfz-potsdam.de/igsn/igsngfz/index.php?igsn=GFBNO7002EHG0001>

# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.

# Describe your data completely



Ensuring that data is  
„independently understandable“  
is crucial.



## 3D-URG: 3D gravity constrained structural model of the Upper Rhine Graben

 **Dataset**

 Released

Cite as:

[Copy citation to clipboard](#)

Freymark, Jessica; Bott, Judith; Scheck-Wenderoth, Magdalena; Bär, Kristian; Stiller, Manfred; Fritsche, Johann-Gerhard; Kracht, Matthias; Gomez Dacal, Maria Laura (2020): 3D-URG: 3D gravity constrained structural model of the Upper Rhine Graben. GFZ Data Services. <https://doi.org/10.5880/GFZ.4.5.2020.004>

### Files

[Download data \(zip, 37.3 MB\)](#)  
[Data description](#)

License: CC BY 4.0

### Abstract

We provide a set of grid files that collectively allow recreating a 3D geological model which covers the Upper Rhine Graben and its adjacent tectonic domains, such as portions of the Swiss Alps, the Black Forest, the Black Forest and Vosges Mountains, the Rhenish Massif and the Lower Rhine Graben. This publication is a complement to the publication of Freymark et al. (2017).

Accordingly, the provided structural model consists of (i) 14 sedimentary and volcanic units, (ii) a crystalline crust composed of seven upper crustal units and a lower crustal unit; and (iii) 14 tectonic units. The files provided here include information on the regional variation of the units in terms of their depth and thickness, both attributes being allocated to regularly spaced grids with a horizontal spacing of 1 km.

The model has originally been developed to obtain a basis for numerical simulations of heat and mass transport in the lithosphere, in particular for the Upper Rhine Graben (a region especially well-suited for geothermal energy exploration). Since such simulations require the subsurface variation of physical rock properties to be defined, the 3D model differentiates units of contrasting materials, i.e. rock types. On that account, a large number of geological and geophysical data have been analysed (see Related Work) and we shortly describe here how they have been integrated into a consistent 3D model (Methods). For further information on the data usage and the characteristics of the units (e.g., lithology, density, thermal properties), the reader is referred to the original article (Freymark et al., 2017). The contents and structure of the grid files provided here-with are described in the Technical Info section.

### Additional Information

We acknowledge Landesamt für Geologie, Rohstoffe und Bergbau (LGRB; Baden-Wuerttemberg) for kindly allocating the digital datasets of the GeORG model and the geological 3D model of Baden-Wuerttemberg.

### Methods

The presented 3D structural model is the result of an extensive data integration process. In a first step, we visualized and collectively analysed geological maps, smaller-scale 3D structural models, depth and thickness maps, drilled formation tops and interpreted seismic horizons (See Related Works) using the software Petrel (©Schlumberger). After identifying the main lithological units to be differentiated by the intended 3D model and correcting for inconsistencies between the layers, the scattered information on the top surface elevation of the units was interpolated to obtain regular grids with a horizontal element spacing of 1 km (Convergent Interpolation algorithm of Petrel). More details about the original datasets (e.g., their regional extents, sources etc.) used to model the topology of the structural horizons are listed in the Supplementary Material 1 of Freymark et al. (2017).

In order to mitigate insufficient coverage of the region with deep seismic profiles revealing the internal structure of the sub-sedimentary crystalline crust, we have performed 3D gravity modelling, in particular

file

link

abstract

Please provide tabular data as tab separated text. When using a standard community format, if possible please cite it.

#### 4.1. File inventory

Description of the provided files and folder structure (see Figure 1). For complex folder structures we recommend a tabular form that may be provided in this data description file or as separate pdf table e.g. (Figure 2)

#### 2. File inventory

Explanation of folder structure from rotary shear experiment (phases 1A and 1B). The zip-file contains the Appendix of this document (Table 1-Niemciuk). Each folder contains 5 convention: the letter

- **datasheet.pdf** on the project
- **u101AF\_300** headers and the columns
- **u101AF\_30** data processed github [https://github.com/](#)

Figure 1: Example for a file inventory

File Name	Folder Name
scripts	u101AF_300
data	u101AF_30

Figure 2: Example for a data description file

This document will accompany your data as a PDF description.

### Descriptive Title of Dataset

(<https://doi.org/will be provided>)


Provide a descriptive title that addresses the content of the dataset. Titles like "Supplement to: title of the paper" are not recommended.

Author-1<sup>1</sup>, Author-2<sup>2</sup> ...

1. Affiliation1, City, Country
2. Affiliation2, City, Country

#### 1. Licence

Creative Commons Attribution 4.0 International License (CC BY 4.0)



#### 2. Citation

When using the data please cite:

Derrien, Allan (2019): Rare optical DSLR camera- and unique drone footage of the extremely remote Mount Michael Volcano, Saunders Island (South Sandwich Islands). GFZ Data Services. <http://doi.org/10.5880/figeo.2019.020>

The data are supplementary material to: (if applicable)

Enter reference with DOI to the article or URL PhD thesis here, you may also add references to more than one article. If the article is not yet published, please add a "submitted" or simply a note "citation of article XX when available". Ideally highlighted in yellow

#### Table of contents

(optional, recommended for more than 2 pages)

1. Licence .....	1
2. Citation .....	1
3. Data Description .....	1
3.1. Sampling method .....	1
3.2. Analytical procedure .....	1
3.3. Data processing .....	1
4. File description .....	1
4.1. File inventory .....	1
4.2. File naming convention .....	1
4.3. Description of data tables .....	1
4.3.1. File name 1 .....	1
5. References .....	1

#### 3. Data Description

The text in the following paragraph usually also appears as the Abstract of your data publication on the GFZ Data Services landing page (e.g. <http://doi.org/10.5880/GFZ.4.3.2019.001>).

1

[https://gfzpublic.gfz-potsdam.de/pubman/item/item\\_5007103](https://gfzpublic.gfz-potsdam.de/pubman/item/item_5007103) (2021)

template [v1.0] -- Connolly & Hueholt, Burt (2025): doi.org/10.1175/BAMS-D-24-0203.1

### 3. DISTRIBUTION AND MAINTENANCE

#### A. How was the data generated or collected (e.g., model runs, observational measurements)? Please provide a description if none exist, describe why.

Provide a description of the data generation and collection process, including any relevant information about the data source, collection method, and any relevant uncertainties.

#### B. What is the data? (e.g., file format, dimensionality, variables, metadata, spatiotemporal coverage). Is there important metadata in the data filenames? If so, document this here.

Motivation: Basic information about data classification.

#### C. Is this dataset derived from a preexisting dataset? (e.g., variable[s] drawn from a modeling experiment). If so, please describe the process or link to the relevant paper.

Motivation: Describe whether a dataset is drawn or derived from a preexisting dataset.

#### D. What processing, if any, has been applied to this data? Is any code used to process the data available? If so, please provide a stable link or other method of access.

Motivation: Minimal description of the process to obtain the data described by this datasheet from its unprocessed form.

#### E. Is any unprocessed data available? If so, please provide a stable link.

Motivation: Clarify the location of unprocessed data to facilitate reproducibility or unforeseen future uses, if possible.

#### F. Are there relevant known technical issues (e.g., redundancies, errors, missing data)? If so, please provide a description.

Motivation: Provide information about technical issues that affect all or portions of the dataset.

#### G. Are external resources required to access or use the dataset? If so, please describe them.

Motivation: Track resources required to access or use data.

#### H. Any other comments?

Motivation: Space for any other relevant information about the structure and processing of the dataset.

### Datasheet for an Earth Science Dataset

Released:  
Last updated:

Author One  
Affiliation  
email

Author Two  
Affiliation  
email

#### 1. PURPOSE

A. For what purpose was the dataset created?

Motivation: Describe the reason for the creation of the dataset (e.g., to provide insight on a knowledge gap, or to carry out some specific task).

B. Who created the dataset (e.g., which individual or team), on behalf of which entity (e.g., institution or company), and under what funding (e.g., grantor[s] and grant number[s])?

Motivation: Provide clarity about the authorship and funding source of the dataset.

C. Was the author of the datasheet involved in creating the dataset? If not, please describe their relation to the dataset.

Motivation: Document the authorship of the datasheet, which may be different than the creator of the dataset.

D. What task(s) has the dataset been used for? Please provide a description and/or citation(s); if there is a repository that archives uses of the dataset, provide a link.

Motivation: Document use cases of the dataset.

E. Any other comments?

Motivation: Space for any other relevant information about the creation of the dataset.

#### 2. STRUCTURE AND PROCESSING

This section concerns technical aspects of the dataset. If documented elsewhere, provide a brief description and stable link (permanent reference, e.g., a DOI) in the relevant question(s).

1

Datasheets for Earth Science Datasets (more info in the article [Datasheets for Earth Science Datasets](#), 2025).






## Data Journals

Peer-reviewed articles  
with the description of  
datasets, data  
collections, data  
infrastructures,  
etc.

**No Interpretation!**




# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.



# License your data to be as open as possible

... Freie Universität Berlin therefore recommends granting open licenses for use when data (including their metadata) are published, e.g., **CC0** or **CC BY** <sup>[21]</sup> for data, **GNU General Public License** <sup>[22]</sup> or **MIT License** <sup>[23]</sup> for source code. ...



Use CC0 and simply ask for credit (rather than require attribution), and provide a citation for the dataset that others can copy and paste with ease.

Such requests are consistent with scholarly norms for citing source materials.



Creative Commons UK. (2017). Fact Sheet on Creative Commons & Open Science. Zenodo. [10.5281/zenodo.840651](https://zenodo.org/record/105281/files/Fact_Sheet_on_Creative_Commons_and_Open_Science_v0.1.pdf)

[https://rights.info/wp-content/uploads/2025/01/Open-Content\\_final\\_web.pdf](https://rights.info/wp-content/uploads/2025/01/Open-Content_final_web.pdf)

[http://www.dcc.ac.uk/sites/default/files/documents/publications/reports/guides/How\\_To\\_License\\_Research\\_Data.pdf](http://www.dcc.ac.uk/sites/default/files/documents/publications/reports/guides/How_To_License_Research_Data.pdf)



# Types of Open Source Software Licenses

## Permissive Licenses

- Allows modification and sharing of the software
- Publishing source code is not required

**Benefit: Simple and flexible licenses that are very compatible with other licenses**

## Copyleft Licenses

- Allows modification and sharing of the software
- Source code must be published
- Derivative works must be licensed under the same license than the original work
- Weak Copyleft: When modified work is incorporated in a larger software, only the derivative work must be licensed under the original license
- Strong Copyleft: Any derived work must be licensed under the original license

**Benefit: Licenses ensure that derivative software remains open source**

From: Riedel, C. (2024) Licensing Research Data and Software.

# OSI Approved Licenses

Open source licenses are licenses that comply with the Open Source Definition – in brief, they allow software to be freely used, modified, and shared. To be approved by the Open Source Initiative (also known as the OSI) a license must go through the Open Source Initiative's [license review process](#).



## SEARCH LICENSES ▾

Search for:

Search

## CATEGORIES ▾

INTERNATIONAL

NON-REUSABLE

OTHER/MISCELLANEOUS

POPULAR / STRONG COMMUNITY

REDUNDANT WITH MORE POPULAR

SPECIAL PURPOSE

SUPERSEDED

UNCATEGORIZED

VOLUNTARILY RETIRED

License Name	SPDX ID	Category
<a href="#">1-clause BSD License</a>	BSD-1-Clause	Other/Miscellaneous
<a href="#">Academic Free License v. 3.0</a>	AFL-3.0	Redundant with more popular
<a href="#">Adaptive Public License 1.0</a>	APL-1.0	Other/Miscellaneous



# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.

# Data and software citation

## Standard data citation

### Template

Creator (Publication Year): Title. Publisher. (resourceTypeGeneral). Identifier

### Example

Hanigan, Ivan (2012): Monthly drought data for Australia 1890-2008 using the Hutchinson Drought Index. The Australian National University Australian Data Archive. (Dataset) <http://doi.org/10.4225/13/50BBFD7E6727A>

## Standard software citation

### Template

Creator (Publication Year): Title. Version No. Publisher. [resourceTypeGeneral]. Identifier.

### Example

Xu, C., & Christoffersen, B. (2017). The Functionally-Assembled Terrestrial Ecosystem Simulator Version 1. Los Alamos National Laboratory (LANL), Los Alamos, NM (United States). [Software]. <https://doi.org/10.11578/dc.20171025.1962>

# Data citation

## Tectonics

RESEARCH ARTICLE  
10.1029/2020TC006425

Key Points:  
• Seismic reflection profiles in the

### Active Fold-Thrust Belt to Foreland Transition in Northern Adria, Italy, Tracked by Seismic Reflection Profiles and GPS Offshore Data

### 3. Data and Methods

#### 3.1. Seismic Reflection Profiles and Borehole Composite Logs

seismic reflection profiles from the ViDEPI project organized in a 3-D environment by Move software are available in the **GFZ Data Services Repository: <http://doi.org/10.5880/fidgeo.2020.027>** (Maffucci et al., 2020). Furthermore, we collected seismic profiles, structural geologic

#### Data Availability Statement

All data needed to evaluate the conclusions in the paper are present in the paper itself and/or the associated supporting information. All these data are also freely available in external repositories and previous articles. In particular, the geodetic data are available in Palano et al. (2020) (<https://doi.pangaea.de/10.1594/PANGAEA.914358>). The seismic reflection profiles organized in a 3-D Move® file/project are available in Maffucci et al. (2020) (<http://pmd.gfz-potsdam.de/panmetaworks/review/aaf30ce1d97be14e03c64b5a638334ed0c40007bc91f6029b83a149727f47c5f>). Supporting figures (Figures S1 and S2) and tables are available online ([ftp://ftp.ingv.it/pub/giuseppe.pezzo/TECT\\_2020TC006425/](ftp://ftp.ingv.it/pub/giuseppe.pezzo/TECT_2020TC006425/)). In the data repository, we make available the subsurface geophysical data set used to classify the tectonic domains of the studied CGPS stations (i.e., fold-thrust belt, proto-thrust domain, and foreland). The data set is organized into the Move® software (Midland Valley) environment, version 2016.2 and includes 60 public 2-D multichannel seismic reflection profiles deriving from the ViDEPI database (<http://www.videpi.com>). The dataset and its full description is available on the following link: <http://doi.org/10.5880/fidgeo.2020.027> (Maffucci et al., 2020); CGPS data and its full description is available on the following link: <https://doi.org/10.1594/PANGAEA.914358> (Palano et al., 2020).



GFZ DATA SERVICES  
GEOSCIENCES DATA PUBLISHER

### Seismic reflection profile dataset in a 3D environment of the Northern Adriatic area (Italy)

Released

Cite as:  
Maffucci, Roberta; Petracchini, Lorenzo; Livani, Michele; Billi, Andrea; Carminati, Eugenio; Cuffaro, Marco; Petricca, Patrizio; Doglioni, Carlo (2020): Seismic reflection profile dataset in a 3D environment of the Northern Adriatic area (Italy). GFZ Data Services. <https://doi.org/10.5880/fidgeo.2020.027>

Copy citation to clipboard

Files

download data (.zip, 1.2 GB)

Data content

Data description

License: CC-BY

Dataset Description

Supplement to

Pezzo, G., Petracchini, L., Devoti, R., Maffucci, R., Anderlini, L., Antonucci, I., Billi, A., Carminati, E., Cicone, F., Cuffaro, M., Livani, M., Palano, M., Petricca, P., Pietrantonio, G., Riguzzi, F., Rossi, G., Sparacino, F., & Doglioni, C. (2020). Active Fold-Thrust Belt to Foreland Transition in Northern Adria, Italy, Tracked by Seismic Reflection Profiles and GPS Offshore Data. *Tectonics*, 39(11). <http://doi.org/10.1029/2020tc006425>

Related Work

Other datasets

#### Abstract

This dataset contains subsurface geophysical data from the Northern Adriatic area (Italy) organized in a 3D environment. In particular, it includes 60 (2-D) multichannel seismic reflection profiles made public by the Italian Ministry of the Economic Development in the framework of the ViDEPI project (Visibility of petroleum exploration data in Italy), georeferenced and organized into the Move® software (Midland Valley) environment. The full description of the data and methods is provided in the data description file.

This collection represents the basis of a paper (Pezzo et al., 2020) devoted to the characterization of potentially active thrusts in the Northern Adriatic area, through the integration of seismic reflection profiles, offshore cGPS data from hydrocarbon platforms, and numerical modeling.

The ViDEPI project is a public database of technical documentation concerning Italian oil exploration. The documentation concerns expired mining permits and concessions dating since 1957 until today, and includes, in particular, well logs and numerous seismic profiles (available as PDF files) acquired in the different Italian commercial "Zones". The documentation and material of the ViDEPI project is freely available online at <http://www.videpi.com/>. Seismic reflection profiles reported in the present dataset comes mainly from the "A" Italian commercial zone (northern Adriatic area) which extends between the city of Venezia to the north and the city of Pesaro to the south.

This dataset consists of a regular network of inlines and crosslines, generally between 4 - 5 seconds (two-way time), acquired by the Italian AGIP Oil Company (Azienda Generale Italiana Petroli) and processed by Western Geophysical Co.

#### Additional Information

This work was conducted in the framework of an agreement between Sapienza University of Rome and the Italian Ministry of Economic Development, Direzione Generale per la Sicurezza anche Ambientale delle Attività Minerarie ed Energetiche - Ufficio Nazionale Minerario per gli Idrocarburi e le Georisorse. We thank Gilberto Dialuce (General Director of DG ISSEG of the Italian Economic Development Ministry) and Franco Terlizze (former Director of DGS UNMIG of the Italian Economic Development Ministry) who designed and encouraged this agreement. The Move® software was provided by Midland Valley Exploration Ltd. to the University of Sapienza (Rome) as part of the software licensing.

#### Authors

## References

- Maesano, F. E., Toscani, G., Burrato, P., Mirabella, F., D'Ambrogi, C., & Basili, R. (2012). Deriving thrust fault slip rates from geological modeling: Examples from the Marche coastal and offshore contraction belt, Northern Apennines, Italy. *Marine and Petroleum Geology*, 42, 122–134. <https://doi.org/10.1016/j.marpetgeo.2012.10.008>
- Maffucci, R., Petracchini, L., Livani, M., Billi, A., Carminati, E., Cuffaro, M., et al. (2020). *Seismic Reflection Profile Dataset in a 3D Environment of the Northern Adriatic Area (Italy)*. GFZ Data Services. <https://doi.org/10.5880/fidgeo.2020.027>
- Malinverno, A., & Ryan, W. B. (1986). Extension in the Tyrrhenian Sea and shortening in the Apennines as result of arc migration driven by sinking of the lithosphere. *Tectonics*, 5(2), 227–245. <https://doi.org/10.1029/TC005i002p00227>

# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.

# Data citation

## Data Availability Statement

All data needed to evaluate the conclusions in the paper are present in the paper itself and/or the associated supporting information. All these data are also freely available in external repositories and previous articles. In particular, the geodetic data are available in Palano et al. (2020) (<https://doi.pangaea.de/10.1594/PANGAEA.914358>). The seismic reflection profiles organized in a 3-D Move<sup>®</sup> file/project are available in Maffucci et al. (2020) (<http://pmd.gfz-potsdam.de/panmetaworks/review/aaf30ce1d97be14e03c64b5a638334ed0c40007bc91f6029b83a149727f47c5f>). Supporting figures (Figures S1 and S2) and tables are available online ([ftp://ftp.ingv.it/pub/giuseppe.pezzo/TECT\\_2020TC006425/](ftp://ftp.ingv.it/pub/giuseppe.pezzo/TECT_2020TC006425/)). In the data repository, we make available the subsurface geophysical data set used to classify the tectonic domains of the studied CGPS stations (i.e., fold-thrust belt, proto-thrust domain, and foreland). The data set is organized into the Move<sup>®</sup> software (Midland Valley) environment, version 2016.2 and includes 60 public 2-D multichannel seismic reflection profiles deriving from the ViDEPI database (<http://www.videpi.com>). The dataset and its full description is available on the following link: <http://doi.org/10.5880/fidgeo.2020.027> (Maffucci et al., 2020); CGPS data and its full description is available on the following link: <https://doi.org/10.1594/PANGAEA.914358> (Palano et al., 2020).

<https://doi.org/10.1029/2020TC006425>

# Data availability statement

## Availability of data

Data openly available in a public repository that issues datasets with DOIs

Data openly available in a public repository that does not issue DOIs

Data derived from public domain resources

Embargo on data due to commercial restrictions

Data available on request due to privacy/ethical restrictions

Data subject to third party restrictions

Data available on request from the authors

Author elects to not share data

Data available in article supplementary material

Data sharing not applicable

**Well done!**

**Acceptable**

**Much less acceptable**

# Data availability statement

“We also find an association between articles that include statements that link to data in a repository and up to 25.36% ( $\pm 1.07\%$ ) higher citation impact on average...”

The citation advantage of linking publications  
to research data (2020)  
<https://doi.org/10.1371/journal.pone.0230416>



# FAIR and Open Research Data Practices


1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.



# Data management plan

- Structured documentation of all aspects of the research data and the handling of the research data of a project.
- Encompasses the entire course of the project as well as data storage after project completion
- Tool to plan all aspects of research data management at an early stage and/or as a team


# Data management plan



DMPonline



TUB-DMP



Template Freie Universität  
Berlin

# Data management plan


## FU Resources

- Guide to Data management plans ([Link](#))
- Upcoming: workshop 'DMP step-by-step'

# FAIR and Open Research Data Practices

1. Deposit research outputs (e.g., data, software, physical sample information, etc.) in trustworthy, community-accepted, FAIR-aligned repositories.
2. Describe your data completely.
3. License your data to be as open as possible.
4. Cite data, software, physical samples, and other products created or reused for your research in your publications.
5. Include a data availability statement in your publication to make it clear where the data can be accessed.
6. Develop and implement data management plans.

# NFDI4Earth FAIRness and Openness Commitment



**NFDI4Earth**

Sign the Commitment at <http://nfdi4earth.de/commit>

**We commit to advance FAIRness and Openness in Earth System Sciences.**

**We value data infrastructures and data experts.**

NFDI4Earth Consortium. 2024. *NFDI4Earth FAIRness and Openness Commitment (NFDI4EarthDeliverable D4.2.1)*. NFDI4Earth Community on Zenodo. <https://doi.org/10.5281/zenodo.10123880>.

# Usage rights of research data


# Usage rights of research data

1. Why is this important?
2. Guidelines for Safeguarding Good Research Practice
3. Copyright/Urheberrecht (when applicable)
4. Status at the university
5. Documented data agreements



# Relevance

1. Colleagues, superiors asks you to share your data
2. Decisions of the publication of data (includes authorship)
3. You change institution: can you take data with you?  
If so, under what conditions?





# Usage rights of research data

1. Why is this important?
2. Guidelines for Safeguarding Good Research Practice
3. Copyright/Urheberrecht (when applicable)
4. Status at the university
5. Documented data agreements



# DFG Code of Conduct / local documents

## **Guidelines for Safeguarding Good Research Practice**

Code of Conduct. <https://doi.org/10.5281/zenodo.6472827> Deutsche Forschungsgemeinschaft. (2022).

## **Satzung zur Sicherung der guten wissenschaftlichen Praxis (GWP-Satzung)**

## **Statutes for Safeguarding Good Research Practice**

(in German, Feb. 2024; with English translation)



# Usage rights

- [...] In particular, the researcher who collected the data is entitled to use them. [...] those entitled to use the data decide whether third parties should have access to them [...]. (DFG Code of Conduct Guideline 10)
- 
- Subject to other legal (in particular the German Employee Inventions Act [ArbnErfG] and the German Act on Copyright and Related Rights [UrhG]) or contractual regulations, the researchers who produced the research findings are entitled to the usage rights for research findings. The completion of a professional qualification or degree must be made possible. (FU statutes, section 9)

# Publication

- As a rule, researchers make all results available as part of scientific/academic discourse. [...] Where possible and reasonable, this includes making the research data, materials and information on which the results are based, as well as the methods and software used, available [...]. (DFG Code of Conduct Guideline 13)
- 

- All research results should be made generally accessible in accordance with the FAIR principles (Findable, Accessible, Interoperable, Reusable), insofar as this does not conflict with the legitimate interests of third parties.

This means that as far as is possible, within reason, and legally permitted, the research data, materials, information, methods, and software (including self-programmed software) used to obtain the research findings must be made available and the working methods and workflows must be comprehensively documented. (FU statutes, section 13)

# Publication

- [...], whenever possible researchers make the research data and principal materials on which a publication is based available in recognized archives and repositories in accordance with the FAIR principles (Findable, Accessible, Interoperable, Reusable). (DFG Code of Conduct Guideline 13)
- 
- Primary data and research outcomes, along with the materials on which they are based and, where applicable, research software used must be stored for an appropriate amount of time in the institution where they were produced or in repositories available to all the institutions involved in the research project. Subject to further regulations, this covers ten years from publication of the data (or the work in question) or after completion of the project. (FU statutes, section 10)

# Usage rights of research data

1. Why is this important?
2. Guidelines for Safeguarding Good Research Practice
3. Copyright/Urheberrecht (when applicable)
4. Status at the university
5. Documented data agreements



# Copyright (Urheberrecht)

- Journal-Article, thesis
- Poster
- Report, Book(chapter)
- Software
- Photos
- Audio
- ...

**copyright  
protected**

Research Data

**not  
copyright  
protected**


# Research data

Copyright protected



Quelle: <https://www.transkripto.de/interview-transkribieren>


**NOT**  
Copyright protected



Quelle: [https://www.reinhardt-testsystem.de/deutsch/klima\\_sensoren/WetterScreen.php](https://www.reinhardt-testsystem.de/deutsch/klima_sensoren/WetterScreen.php)



# Numerical data: no copyright!



Thermometer: 5 €

$T = 12^{\circ}\text{C}$

# Copyright (Urheberrecht)

1. The right of attribution
2. The right to communicate (including to publish) the work
3. The right of integrity

# Usage rights of research data

1. Why is this important?
2. Guidelines for Safeguarding Good Research Practice
3. Copyright/Urheberrecht (when applicable)
4. Status at the university
5. Data agreements



# Employment, Academic Freedom and Usage Rights

Professors	Scientific Staff	Instruction-based Work
Independent research and teaching. Full usage rights.	Doctoral/habilitation theses. Independent work. Full usage rights.	Employer granted usage rights. Potential publishing conflicts.

# Preventing Conflicts: Documented agreements

- Where possible and practicable, researchers conclude documented agreements on usage rights at the earliest possible point in a research project.

Documented agreements are especially useful when multiple academic and/or non-academic institutions are involved in a research project or when it is likely that a researcher will move to a different institution and continue using the data he or she generated for his or her own research purposes. (DFG Code of Conduct Guideline 10)

# Preventing Conflicts: Documented Agreements



Researcher Data Agreement

Student Data Agreement



Nutzungsvereinbarungen in Arbeitsgruppen treffen

Weblink

# Read more:



**Who "owns" research data?.**

Hübner, A. (2024). Zenodo.

<https://doi.org/10.5281/zenodo.11059315>

... and references therein.

Also available in German:

Wem "gehören" Forschungsdaten?. Zenodo.


<https://doi.org/10.5281/zenodo.11077411>

# Thank you!



# Backup slides

# Databases



	Urheberrecht am Datenbankwerk	Leistungsschutzrecht an Datenbank
<b>Schutz- voraussetzungen</b>	Datenbank: = Mehrzahl unabhängiger, einzeln zugänglicher Elemente Persönliche, geistige Schöpfung: = insb. Ausdruck einer eigenpersönlichen Auswahl- oder Anordnungsentscheidung	Datenbank: = Mehrzahl unabhängiger, einzeln zugänglicher Elemente Wesentliche Investition: = maßgebliche Arbeitskraft oder Geldleistung
<b>Schutzumfang</b>	Struktur der Datenbank: = Ausdruck, in dem sich die Anordnungs- oder Auswahlentscheidung verkörpert NICHT: Dateninhalte	Schutz der Investition, die durch die Entnahme von Daten gefährdet wird NICHT: Dateninhalte
<b>Verletzung durch</b>	Übernahme der Auswahl und/oder Anordnung, z.B. durch Vervielfältigung der Datenbank, Hochladen im Repositorium, Veröffentlichung einer veränderten Datenbank	Entnahme wesentlicher Teile (i.d.R. mehr als 15 % des Investitionsäquivalents), Hochladen wesentlicher Teile
<b>Schutzdauer</b>	Bis zu 70 Jahre nach Tod des letzten Urhebers	15 Jahre ab Veröffentlichung oder 15 Jahre ab Herstellung bei fehlender Veröffentlichung

# Contact

**Dr. Andreas Hübner** (he/him)

E-Mail: [andreas.huebner@fu-berlin.de](mailto:andreas.huebner@fu-berlin.de)

Phone: 838-71062

<https://orcid.org/0000-0001-7342-9789>

E-Mail: [forschungsdaten@fu-berlin.de](mailto:forschungsdaten@fu-berlin.de)

Web: <https://www.fu-berlin.de/en/sites/forschungsdatenmanagement>



forschungsdaten  
management



We offer advise on all aspects of research data management